

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"kernel emulator" -free -patents

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 964 for **"kernel emulator" -free -patents**. (0.34 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

[PDF] USING AN IN-KERNEL EMULATOR FOR TPS DEVELOPMENT -

File Format: PDF/Adobe Acrobat

The in-**kernel emulator** is made up of ,a number of ... **kernel emulator** instead of in the instrument's ... **kernel emulator** provides more flexibility and ...

ieeexplore.ieee.org/iel5/9814/30947/01436846.pdf - [Similar pages](#)

Welcome to IEEE Xplore 2.0: Using an in-kernel emulator** for TPS ...**

Using an in-**kernel emulator** for TPS development and testing. Hicks, F. Southwest Res. Inst., Warner Robins, GA, USA;. This paper appears in: AUTOTESTCON ...

ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=1436846 - [Similar pages](#)

tech-kern: FreeBSD 5/6/7 **kernel emulator for NetBSD 2.x**

Hi, I have made an effort on making a FreeBSD 5/6/7 **kernel emulator** for NetBSD 2.x.

Many device drivers are shared between these two operating systems, ...

mail-index.netbsd.org/tech-kern/2005/10/24/0008.html - 4k - [Cached](#) - [Similar pages](#)

circle.ch :: Furlongs Linux **Kernel Emulator**

Wez Furlong [1] started reading through some documents at MSDN and finally ended up with a small Linux **kernel emulator** for Windows. Amazing story ;-)

circle.ch/blog/p1298.html - 27k - [Cached](#) - [Similar pages](#)

FreeBSD 5/6/7 **kernel emulator for NetBSD 2.x**

Here is a case in which such a **kernel emulator** can be used: > > I think it is a good idea that FreeBSD and NetBSD shares as many USB drivers > as possible. ...

lists.freebsd.org/pipermail/freebsd-hackers/2005-October/014182.html - 7k -

[Cached](#) - [Similar pages](#)

FreeBSD 5/6/7 **kernel emulator for NetBSD 2.x**

Previous message: FreeBSD 5/6/7 **kernel emulator** for NetBSD 2.x; Next message:

[PATCH] IPv6 support for ggate; Messages sorted by: [date] [thread ...

lists.freebsd.org/pipermail/freebsd-hackers/2005-October/014210.html - 7k -

[Cached](#) - [Similar pages](#)

[uClibc] MIPS **kernel emulator issues**

[uClibc] MIPS **kernel emulator** issues. Shantanu Gogate sagogate at yahoo.com Wed Sep 29 02:05:31 MDT 2004. Previous message: [uClibc] Re: ld.so loading ...

www.busybox.net/lists/uclibc/2004-September/010019.html - 6k - [Cached](#) - [Similar pages](#)

zh's bookmarks tagged with "emulator" on del.icio.us

KVM – Kernel-based Virtual Machine for Linux · save this. to linux **kernel emulator** ...

saved by 43 other people ... on nov 21 ...

del.icio.us/zh/emulator - 29k - [Cached](#) - [Similar pages](#)

calvin2+DICE and LiKE

DICE has been extended to LiKE (Linux **Kernel Emulator**) in order to trace/simulate the operating system level activity. This extension allowed us to complete ...

www.irisa.fr/caps/projects/calvin2DICE/index.htm - 18k - [Cached](#) - [Similar pages](#)

KeyKOS Guest System Support - Examples

As a UNIX process, it has a **kernel emulator** and can perform standard UNIX ... When a file is opened, the KeyNIX **kernel emulator** uses directory objects ...

www.cis.upenn.edu/~KeyKOS/agorics/KeyKos/support/chapter3.html - 14k -

[Cached](#) - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Dialing DataStar

options

logout

feedback

help

databases

search
page

titles

Document

Select the documents you wish to save or order by clicking the box next to the document, or click the link above the document to order directly.

previous
documents

save

locally as: PDF document



search strategy: do not include the search strategy



order

copy to
Clipboard

Full text available at USPTO Full Text Retrieval Options

open url

☒ document 7 of 7 [Order Document](#)

Inspec - 1898 to date (INZZ)

Accession number & update

0003181676 20070101.

Title

Compiling 65816 Forth with a 6502 metacompiler.

Conference information

1987 Rochester Forth Conference on Comparative Computer Architectures, Rochester, NY, USA, 1987.

Sponsor(s): Johns Hopkins Univ; Oak Ridge Nat. Lab; IEEE; et al.

Source

Journal of Forth Application and Research, {J-Forth-Appl-Res-USA}, 1987, vol. 5, no. 1, p. 236, 0 refs, CODEN: JFAREL, ISSN: 0738-2022, USA.

Author(s)

Anway-A.

Author affiliation

Anway, A., Acad. Comput., UW-Superior, Superior, WI.

Abstract

Summary form only given, substantially as follows. Having a new Apple IIGS and an old Forth metacompiler gave incentive to write Forth in the 65816 **native** code, a true 16-bit machine. The simple accumulator (A), memory (M), X and Y registers are preserved from the old 6502 into the new 65816 but they can be independently set to 16 bits or 8 bits; or exact 6502 **emulation**. The conversion stages were: (1) Write a new Forth assembler, a converted 6502, into a multiple mode assembler. The programmer tells the assembler the mode with words 6502- 816andand 816and- 816- and 816--, the normal NEXT exit 816and- being 16 bits M&A, 8 bits X&Y. (2) Using 6502- code Forth on the IIGS, write test examples of code in 816and- **native** code. Words were written as CODE (DO)' CLC, XCE, 20 .# REP, . . . SEC, XCE, NEXT JMP, END-CODE to redefine code into 816and-, run, and put back into 6502- else crash. (3) Rewrite the old meta to a new meta, writing I/O references in old 6502- mode. (4) Compiles the new 816and- **meta-kernel** relying on the metacompiler forcing all interpretation to take place from the old dictionary. Only when the new **kernel** starts up alone does the machine transfer to the true 65816 **native** mode.

Descriptors

☒ APPLE-COMPUTERS; ☒ FORTH; ☒ MICROCOMPUTER-APPLICATIONS; ☒ PROGRAM-COMPILERS.

Classification codes

C6150C Compilers-interpreters-and-other-processors*.

Keywords65816-Forth; 6502-metacompiler; Apple-IIGS; **native-code**; 16-bit-machine; Forth-assembler; multiple-mode-assembler; I/O-references; **meta-kernel**; interpretation; dictionary; 16-bit.**Treatment codes**

P Practical.

Numerical indexing

word length: 1.6E01 bit.

Language

English.

Publication type

Conference-paper; Journal-paper.

Availability

CCCC: 0738-2022/87/\$2.75.

Publication year

1987.

Publication date

19870000.

Edition

1988017.

Copyright statement

Copyright 1988 IEE.

(c) 2007 The Institution of Engineering and Technology

[previous documents](#)[save](#)

locally as: PDF document

search strategy: do not include the search strategy

[order](#)[copy to Clipboard](#)[Top](#) - [News & FAQs](#) - [Dialog](#)

© 2007 Dialog

Dialog DataStar[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[easy search](#)**Advanced Search:**

Inspec - 1898 to date (INZZ)

[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	native AND non-native	unrestricted	0	-
2	INZZ	kernel AND native	unrestricted	99	show titles
3	INZZ	2 AND emula\$4	unrestricted	7	show titles
4	INZZ	kernel AND emulator	unrestricted	22	show titles

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping [i](#)Information added since: or: [i](#)
(YYYYMMDD)[search](#)☐ Documents with images

Select special search terms from the following list(s):

- [➔](#) Publication year 1950- [i](#)
- [➔](#) Publication year 1898-1949
- [➔](#) Inspec thesaurus - browse headings [i](#)
- [➔](#) Inspec thesaurus - enter a term [i](#)
- [➔](#) Classification codes A: Physics, 0-1
- [➔](#) Classification codes A: Physics, 2-3
- [➔](#) Classification codes A: Physics, 4-5
- [➔](#) Classification codes A: Physics, 6
- [➔](#) Classification codes A: Physics, 7
- [➔](#) Classification codes A: Physics, 8

- ➔ Classification codes A: Physics, 9
- ➔ Classification codes B: Electrical & Electronics, 0-5
- ➔ Classification codes B: Electrical & Electronics, 6-9
- ➔ Classification codes C: Computer & Control
- ➔ Classification codes D: Information Technology
- ➔ Classification codes E: Mech., Manufac. & Production Engineering
- ➔ Treatment codes
- ➔ Inspec sub-file
- ➔ Language of publication
- ➔ Publication types

Top - News & FAQs - Dialog

© **2007** Dialog



native kernel emulator non-native "conversion"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **11 - 20** of about **27** for **native kernel emulator non-native "cor**

All Results[K Scott](#)[S Devine](#)[N Kumar](#)[S Velusamy](#)[B Childers](#)[Method for embedding object codes in source codes - group of 3 »](#)

K Stattenfield - US Patent 6,976,249, 2005 - Google Patents

... 68LCU40 **Emulator** 407 ... These old, or in other words **non-native** applications, are typically ...processor environment, otherwise 30 known as the "**native**" environment ...[Related Articles](#) - [Web Search](#)[Profiling execution of a sequence of events occurring during a profiled execution interval that ... - group of 3 »](#)

MC Adler, JS Yates Jr, DL Reese, PH Hohensee, SC ... - US Patent 6,978,462, 2005 - Google Patents

Page 1. United States Patent Adler et al. (54) PROFILING EXECUTION OF A SEQUENCE OF EVENTS OCCURRING DURING A PROFILED EXECUTION INTERVAL ...

[Related Articles](#) - [Web Search](#)[Method and system of cache management using spatial separation of outliers - group of 2 »](#)

JP Kramskoy, WT Charnell, S Darnell, BAA Dias, PJ ... - US Patent 6,901,587, 2005 - Google Patents

... Plummer, Bucks (GB); Jeremy James Sexton, **Kernel** Hempstead (GB ... **Java Native** InterlaceSpecification—**Java Native** Interlace Specification Release ... **emulator** stack ...[Cited by 3](#) - [Related Articles](#) - [Web Search](#)[Thesis Release Permission Form](#)

PM Simulator - 2005 - ce.rit.edu

... and TLB pollution effects due to the **kernel** code and ... The Linux OS **Emulator** will providethe option to ... A system call proxy is used to **convert** simulated (target ...[View as HTML](#) - [Web Search](#)[Machine Emulation, Virtualization, and Translation](#)

JR Petrus - jrpetrus.net

... The **emulator** program itself can ... them to Crusoe's **native** atoms (1b). ... "**kernel** mode" instructions implement this feature. A second issue that had to be dealt ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)[Retargetable and reconfigurable software dynamic translation - group of 9 »](#)K Scott, N Kumar, S Velusamy, B Childers, JW ... - Code Generation and Optimization, 2003. CGO 2003. ..., 2003 - [ieeexplore.ieee.org](#)... hosted simulator, and a MIPS-hosted operating system **emulator**— ... be it enhancing the performance of **native** binaries, executing **non-native** binaries, or ...[Cited by 36](#) - [Related Articles](#) - [Web Search](#)[Virtualization system including a virtual machine monitor for a computer with a segmented ... - group of 3 »](#)

SW Devine, E Bugnion, M Rosenblum - US Patent 6,397,242, 2002 - Google Patents

... ware and **convert** the application's system calls into direct ... The OS **emulator** does not need to worry about ... Time subsystem embeds a real-time **kernel** within the ...
[Cited by 20](#) - [Related Articles](#) - [Web Search](#)

Retargetable and Reconfigurable Software Dynamic Translation K. Scott*, N. Kumar, S. Velusamy*, B. ...

K Scott - cs.virginia.edu

... hosted simulator, and a MIPS-hosted operating system **emulator**-- ... be it enhancing the performance of **native** binaries, executing **non-native** binaries, or ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Side tables annotating an instruction stream - group of 2 »

JS Yates Jr, DL Reese, PH Hohensee, KS Van Dyke, ... - US Patent 7,069,421, 2006 - Google Patents

Page 1. United States Patent Yates, Jr. et al. (54) SIDE TABLES ANNOTATING AN INSTRUCTION STREAM (75) Inventors: John S. Yates, Jr ...

[Related Articles](#) - [Web Search](#)

Profiling program execution to identify frequently-executed portions and to assist binary ...

JS Yates Jr, L David, PH Hohensee - US Patent 7,111,290, 2006 - freepatentsonline.com

... Mueller et al., MiThos-A Real time Micro **Kernel** . . . Typically, an **emulator** is found in a newer computer ... additionally execute an operating system **native** to the ...

[Related Articles](#) - [Cached](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



non-native native kernel "emulation"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **1 - 10** of about **90** for **non-native native kernel "emulation"**. (0

All Results[V Bala](#)[S Banerjia](#)[W Earl](#)[D Fiul](#)[E Duesterwald](#)

[Automatic client/server translation and execution of **non-native** applications - group of 5 »](#)

DL Hart, NRV Ramakrishna... - US Patent 6,363,409, 2002 - Google Patents
 ... is a known archi-tectural arrangement that allows **non-native** Windows 3 ... within the con-text of a **native** Win32 process ... The 16-bit MS-DOS **kernel** is essentially MS ...
[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[Kernel emulator for **non-native** program modules](#)

B BOND, SATM KHALID - EP Patent 1,209,564, 2002 - freepatentsonline.com
 ... With this **non-native kernel emulation**, **native** and **non-native** program modules are interoperable. Except for the **kernel emulator**, none ...
[Cached](#) - [Web Search](#)

[DATA ALIGNMENT BETWEEN **NATIVE** AND **NON-NATIVE** SHARED DATA STRUCTURES - group of 3 »](#)

B BOND, ATMS KHALID - EP Patent 1,438,660, 2004 - freepatentsonline.com
 ... 4, the **non-native kernel emulator** 400 includes a data alignment subsystem 460 coordinate data alignment between **native** and **non-native** applications (or between ...
[Related Articles](#) - [Cached](#) - [Web Search](#)

[LARGE INTEGER](#)

P Dyer - US Patent 7,107,584 - Google Patents
 ... as necessary—data structures shared by applications and/or operating system of differing platforms (eg, **native** and **non-native**). Overview of **Kernel Emulation** ...
[Web Search](#)

[Method and system for an efficient user mode cache manipulation using a simulated instruction - group of 3 »](#)

WJ Earl... - US Patent 6,049,866, 2000 - Google Patents
 ... **kernel** interprets the simulated instruction as a instruction ... **non-native** software program is both translated into **native** 45 gram coun ter is incremented. ...
[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[DOS Virtualized in the Linux **Kernel**](#)

RT Johnson III - cs.wisc.edu
 ... likely to be slower than their **native** counterparts ... The impact to the stock **kernel** was minimized while ... used to increase the performance of **non-native** applications ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Machine **Emulation**, Virtualization, and Translation](#)

JR Petrus - jrpetrus.net
 ... Set Architecture (ISA), development of a new OS, or the need to run **non-native** ... them to Crusoe's **native** atoms (1b ... "**kernel mode**"instructions implement this feature ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Method and apparatus for address space translation using a TLB - group of](#)

[3 »](#)

WJ Earl, WS Mesard... - US Patent 5,815,686, 1998 - Google Patents

... 44 TLB + **KERNEL ROUTINE** (UTLB Miss ... of a computer system while running **non-native**programs through ... emulated virtual memory address into a **native** virtual memory ...[Cited by 11](#) - [Related Articles](#) - [Web Search](#)[\[PS\] MUX: Mungi UNIX](#)

C Gray - disy.cse.unsw.edu.au

... **Non-native** applications on Mungi would not be able to take ... UNIX **emulation** built on-top of their **native** APIs ... of a nanokernel being to remove all **kernel** state to ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)[New Approach to Virtualization Is a Lightweight](#) - group of 9 »

SJ Vaughan-Nichols - basil.computer.org

... according to Sun **kernel** engineer Russ Blaine. ... work best for running multiple **native** applications on their ... and thereby lets users run **non-native** applications on ...[View as HTML](#) - [Web Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 [Next](#)[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google